United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/764,445	01/27/2004	H. Wayne Stafford	12713.01	8675
37833	7590 01/09/2008 N OFFICES I TD		EXAM	INER
LITMAN LAW OFFICES, LTD. P.O. BOX 15035			ROWAN, KURT C	
CRYSTAL CI ARLINGTON			ART UNIT PAPER NUMBER 3643	
	, , , , , ,			
			MAIL DATE	DELIVERY MODE
		٠	01/09/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/764,445		STAFFORD, H. WAYNE			
Office Action Summary	Examiner	Art Unit	T			
•		3643				
The MAILING DATE of this communication ap	Kurt Rowan		ddress			
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC 136(a). In no event, however, may a re will apply and will expire SIX (6) MON te, cause the application to become AB.	CATION. Poply be timely filed THS from the mailing date of this of the control				
Status						
1) Responsive to communication(s) filed on 11.5	September 2006.					
2a)⊠ This action is FINAL . 2b)☐ Thi	This action is FINAL . 2b) This action is non-final.					
3) Since this application is in condition for allowa	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) ⊠ Claim(s) <u>18-27</u> is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ⊠ Claim(s) <u>18-21</u> , <u>23</u> , <u>25-27</u> is/are allowed. 6) ⊠ Claim(s) <u>22 and 24</u> is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	awn from consideration.					
Application Papers						
9) The specification is objected to by the Examina 10) The drawing(s) filed on is/are: a) accomposed and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct of the oath or declaration is objected to by the Examination.	cepted or b) objected to be drawing(s) be held in abeyan ction is required if the drawing(ce. See 37 CFR 1.85(a). s) is objected to. See 37 C				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(s	ummary (PTO-413))/Mail Date formal Patent Application				

Application/Control Number:

10/764,445 Art Unit: 3643

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the rear wall, the two side walls, the bottom, first opening and second opening, the third opening and fourth opening, the one end of the discharge pipe, bend section, the L-shaped water return pipe, the first filter screen, the second filter screen, and the compressed oxygen source, must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner,

10/764,445 Art Unit: 3643

the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 22 and 24 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. These claims conflict with claim 18 in that claim 22 recites the fourth opening in the rear wall and claim 18 states that the fourth opening is in the top wall. The specification recites a watertight fitting 30 in the rear wall but does not recite an opening. Claim 24 depends from claim 22. Please clarify/correct.

Allowable Subject Matter

- 4. Claims 18-21, 23, 25-27 are allowed.
- 5. Claims 22 and 24 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

Response to Arguments

6. Applicant's arguments with respect to claim 22 and 24 have been considered but are most in view of the new ground(s) of rejection. However, these claims would be allowable if the rejection under 35 USC 112, second paragraph was overcome.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

Application/Control Number:

10/764,445 Art Unit: 3643

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kurt Rowan whose telephone number is (571) 272-6893. The examiner can normally be reached on Monday-Thursday 6:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter Poon can be reached on (571) 272-6891. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/764,445 Art Unit: 3643

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Kurt Rowan Primary Examiner Art Unit 3643

KR